on such resale shall be recovered from him and no claim will be entertained in the event of the profits being realised. The successful bidder shall also make his own arrangements, after payment, to remove the articles within a day or two.

Persons whose solvency may be considered doubtful may be required by the officer conducting the sale, at his discretion, to deposit from Rs. 5 to Rs. 10, so as to ensure their *bona fides* at the time of bidding.

Country ploughs without beams	4
Pick axes	7
Mammaties	1
Cooling pan	1
Sickles	11
Monkey Spanner	1
Bill hooks	2
Buckets	5
Military cart wheels	2
Country Halube	1
Phenyle drums	7
Mobiloil drums	3
Kerosine oil tins	10
Empty paint tins	17
Flit tins	2
Linseed oil gallon tins	1
Castor oil tins (two gallon capacity)	1
Pepperment small tins	3
Bottles of different sizes	12
Kalai kokkes	3
Full tins with round lids	28
Half tins do	28
Glaxo tins	15
Small round tins	10
Copper water funnel	1
B.S.A. old Bicycle	1
Cycle pump	1

S. V. SHARMA,
Paddy Special Officer.

OFFICE OF THE ASSISTANT DIRECTOR OF AGRICULTURE, BANGALORE CIRCLE, BANGALORE.

Abstract Notification dated 3rd July 1940.

The attention of the public is invited to Notification No. 1 of 1940-41, dated 3rd July 1940, regarding the supply of articles to Hostel attached to Ramakrishna Krishi Sala, Ramakrishnapur, Anekal Taluk, published in the *Mysore Gazette*, Part VI, on pages 1644 and 1645, dated 11th July 1940.

B. DASAPPA,
Assistant Director.

OFFICE OF THE SUPERINTENDENT, CIVIL VETERINARY, LIVE STOCK AND AMRIT MAHAL DEPARTMENT, BANGALORE.

Abstract Notification dated 15th July 1940.

Sealed tenders will be received at the Office of the Superintendent, Civil Veterinary, Live Stock and Amrit Mahal Department in Mysore, Bangalore, for the purchase of all the table eggs from the Hebbal Poultry Farm during the year 1940-41, till 3 P.M. on Monday the 29th July 1940. For full particulars, please see detailed Notification published in page 1645, Part VI of the *Mysore Gazette*, dated 11th July 1940.

S. D. ACHAR,
Ag. *Superintendent.*

GOVERNMENT OF MYSORE—ELECTRICAL DEPARTMENT.

OFFICE OF THE CHIEF ELECTRICAL ENGINEER, BANGALORE.

Notification No. G. N. 1, dated 13th July 1940.

Sealed tenders will be received in the office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, for the supply of the following, up to 2 P.M. on 2nd August 1940.

(1) 9-Nos. Portable A.C. Voltmeters of first grade accuracy moving iron spring controlled type, double rang 0-150—300 volts, cycles 25 to 60, enclosed in a leather case with strap.

(2) 9-Nos. Portable A.C. Ammeters of first grade accuracy, moving iron spring controlled type, double range 0-5—10 amperes, 25 to 60 cycles, enclosed in a leather case with strap.

(3) 9-Nos. Portable "Wee" Megger Insulation Testers wound for 500 volts, consisting of a first grade accuracy high range ohm-meter and hand-driven generator of constant pressure, enclosed in a leather case with strap.

(4) 9-Nos. Portable Magneto Ringer Continuity Testers with hand-driven generator and bell.

The above instruments should fully conform to the respective latest British Standard Specifications and be of "first grade" accuracy, retained for long periods of service without being affected by extraneous influences or variation in frequency or wave forms. The moving elements shall be light and rugged compensated against variations in temperature.

They should be provided with knife-edge pointers and individually calibrated, finely divided, clear and legible scales, mirrored to eliminate parallax errors. They should be provided with highly seasoned wood or moulded material cases. The instruments should be robust in construction but light in weight, consistent with strength. They shall be highly durable to withstand all reasonable usage.

The quotations should be accompanied with fully descriptive and illustrative literature with specifications and photographs of the instruments offered, without which no quotation will be considered.

Whether supply can be effected from stocks or otherwise should be mentioned.

The instruments are required to be delivered f.o.r., Bangalore.

The undersigned reserves to himself the right to refuse the lowest or any tender, whole or part, without assigning any reason therefor. And withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchase being made at the firm's expense from other sources.

Tenders should be superscribed "Tender for Electrical Instruments to be opened at 2 P.M. on 2nd August 1940."

M. HAYATH,
For *Chief Electrical Engineer.*

Notification No. G. N. 2, dated 15th July 1940.

Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, for the supply of the following materials, up to 2 P.M. on Saturday the 3rd August 1940.

Materials to be delivered f.o.r., Mysore :—

1.	Teakwood Casing with Capping $2'' \times \frac{3}{4}''$, in lengths of more than 6 ft.	7,000	ft.
2.	Teakwood Round Blocks $3\frac{1}{2}'' \times 1''$	400	Nos.
3.	Tumbler Switches, porcelain base and brass cover, or bakelite 5-amps.	240	,,
4.	Brackets Brass $\frac{1}{2}''$ thick, 6" to 8" long, complete with B.C. Holder	72	,,
5.	Holders B.C., C.G., 5-amps. either brass or reinforced bakelite	144	,,
6.	Ceiling Roses 2-way	144	,,
7.	Combined wall plugs with switches 5-amps. including nipple	72	,,
8.	Switches, ironclad, 10-amps., D.P.S.T., with fuse arrangement	30	,,
9.	Wire insulated No. 14 B. & S., 600-volts, in 300 ft. coils	50	Coils.
10.	Do No. 12 B. & S. do	10	,,
11.	Silk Cord Twin Flexible	750	ft.
12.	Screws Flat Head, iron, $1\frac{1}{4}''$, size No. 6	40	Gross.
13.	Do do $\frac{1}{2}''$ size No. 5	50	,,
14.	Bolts and Nuts, Hexagonal head, $1\frac{1}{2}'' \times \frac{1}{2}''$	2,000	Nos.
15.	Do do $5\frac{1}{2}'' \times \frac{1}{2}''$	500	,,
16.	Do do $6'' \times \frac{1}{2}''$	500	,,
17.	Do do $6\frac{1}{2}'' \times \frac{1}{2}''$	500	,,
18.	Cast Iron Hood for street light fitting, with nipple, (suitable for parallel lighting)	120	,,
19.	Radial Wave Reflectors for street lights	130	,,
20.	B.C. Holders $\frac{5}{8}''$	120	,,
21.	Pipe Galvanized $1\frac{1}{2}''$, in standard lengths	500	ft.
22.	Do 2" do	1,010	,,
23.	Do $2\frac{1}{2}''$ do	100	,,

Samples should be sent wherever possible and time of delivery should be clearly specified.

The Chief Electrical Engineer reserves to himself the right to refuse the lowest or any tender, whole or part, without assigning any reason therefor.

The prices quoted should hold good for at least two weeks after the due date of receipt of tenders, *viz.*, 3rd August 1940, and the same should be so specified in the tender. Failure to do so will be construed as willingness on the part of the firm to abide by this condition.

Withdrawal from the quotation after it is accepted or failure to make the supply within the stipulated time or according to specifications will entail cancellation of the order and purchase being made at the firm's expense from other sources.

The tenders should be superscribed "Tender for miscellaneous materials to be opened at 2 P.M. on 3rd August 1940."

P. V. K. MURTHY,
For *Chief Electrical Engineer.*

OFFICE OF THE SUPERINTENDENT, POWER AND LIGHTING, BANGALORE.

Abstract Notification.

Subject: TENDER FOR INSTALLING A PORTABLE 3 H. P. PUMPING SET AT THE MULBERRY GARDEN ATTACHED TO THE SERICULTURAL FARM AT SIDLAGHATTA.

Attention is drawn to this office Notification dated 28th June 1940, inviting tenders for the above work, published in Part VI, pages 1611-1612 of the *Mysore Gazette*, dated 4th July 1940. The last date of receiving tenders is 22nd July 1940 and the earnest money required is Rs. 50.

C. R. GOWDA,
Superintendent.

OFFICE OF THE SUPERINTENDENT, POWER AND LIGHTING, MYSORE.

Notification dated 12th July 1940.

1. Sealed tenders in triplicate will be received at the Office of the Superintendent, Power and Lighting, Mysore, superscribed with the name of the work noted below.

2. A sum of Rs. 55 (Rupees fifty-five) only is required to be sent along with the tender in cash or currency or cheque drawn in favour of the Superintendent, Power and Lighting, Mysore or Order being the earnest deposit. Tenders not accompanied with the said deposit will not be accepted.

3. The plans connected with the work may be seen at the office of the undersigned at all working hours. The same will be made availalbe on payment of Rs. 2 per set, if required.

4. The tenders should be drawn up strictly in conformity to the specification furnished, writing out the rate at which each tem of work will be executed in figures as well as in words failing which no cognizance will be taken of the tender. No items other than those noted in the statement should be included, as the items cover provision for all sundries that are necessary for the execution of the work to meet with the requirements of the Department, including painting and colour washing to suit the finish of the walls, etc.

5. Materials to be used on the work should be of best quality conforming to the specifications of this Department and B.S. or A.I.E.E. Specifications. Mention should also be made of the manufacture and the Catalogue numbers of the materials offered. Teakwood planks to be used on the work should be free from knots, cracks and should be well seasoned. No planks less than 12" in width will be permitted to be used unless it is to make up the difference in size of the board required. Only lap joints should be adopted in all cases.

6. The undersigned reserves the right to reject the tenders without assigning any reason therefor.

7. The successful tenderer will be required to execute an agreement within two days from the date of communication of acceptance of the tender. He should send samples of all the materials required for the work mounted on a board and start the work after obtaining the approval of the undersigned with regard to the same within a week from the date of communication of acceptance. Failure to adhere to the conditions above will entail forfeiture of the earnest deposit and adoption of such measures as are necessary for expediting the work otherwise entirely at his risk. He should also bind himself to execute the work strictly adhering to the wiring rules of this Department as well as those of I.E.E. He should also be prepared to adopt changes in the location of lighting and heating outlets control points, etc., that might be desired by the undersigned during the progress of work without any obligation if the tender is not materially affected thereby. The wiring adopted being a lead covered cable sharp corners should invariably be avoided.

8. The undersigned reserves the right to reject the work either in full or in part if the same is not executed according to the above specifications or is not satisfactory as regards workmanship.

9. Special care should be taken to afford metallic continuity and to provide efficient earthing to the installation as the system of wiring adopted is in lead covered cables.

10. *Name of work :*—Installing Electric lights to the side wings of the District Offices at Mandya.

11. *Last date and time for receiving the tender :*—At 3 P.M. on 29th July 1940.

12. *Last date and time for opening the tender in public :*—At 4 P.M. on 29th July 1940.

13. A period of four weeks from the date of acceptance of tender will be allowed for the completion of the work in all respects. If the installation is not handed over to the department with service on the due date, the department will have the option to take charge of the installation at whatever stage it might be and arrange for completion of the work through any other agency at the risk of the tenderer or impose a penalty of Rs. 10 (Rupees Ten) only per each week of delay caused.

14. The Firm executing the work should arrange while handing over the installation to this Department to pass a certificate of guarantee for the continuance of satisfactory service to the installation for a period of 12 calendar months from the date of handing over charge to this Department while in interrupted power supply is maintained. Further, it will be obligatory on the part of the firm to attend to any defects in the installation that might crop up during the above period without any return for service rendered.

15. *Details of work :*—The quantities given in the statement noted below are not guaranteed and are subject to variation at the time of executing the work.

N.B.—Large metal junction boxes should be employed for wiring outlets.

Installing Lighting circuit to the side wings of the District Offices, Mandya.

No.	Particulars	Unit	Quantity
	PART I.—MAINS.		
1	Supplying and laying No. 7/·029 S.W.G. twin conductor paper insulated lead covered double steel tape armoured, jute served underground cable suitable for a working pressure of 1,000 volts in a trench of 3′ deep and surrounding the same in 3″ of fine sand and enclosing the ends of the cable in indoor and outdoor type junction boxes of approved design filled with insulating compound and the vertical run of the cable along the pole in 18′ of G.I. pipe 1½″ dia. clamped firmly to the pole using No. 7/.029 S.W.G. insulated wires and accessories. A Wing .. .. .. 250 Ft. B Wing .. .. .. 150 Ft. ..	Ft.	400
2	Supplying, fixing and wiring single phase mains in ¾″ H.G. conduit with necessary bends, clamps, etc., using No. 7/·029 S.W.G. insulated wires and accessories. A Wing .. .. .. 50 ft. B Wing .. .. .. 50 ft. ..	,,	100′
3	Supplying, fixing and wiring a T. W. board 15″×12″×1″ with 2″ battens and rear board equipping the same with a D.P.S.T. iron-clad switch with fuse using No. 7/·029 insulated wire and accessories. Right Wing .. .. .. One Left Wing .. .. .. One ..	No.	Two
4	Earthing	..	Two
	PART II.—INTERIOR WORK.		
1	Supplying, fixing and wiring in twin and triple conductor lead covered cable run on suitable T. W. Fillets with necessary metal junction boxes complete with 5 amps. S.P. bakelite control switch cream finish, etc., using No. 7/·029 S.W.G. and 3/·036 S.W.G. cables for mains and raps, respectively for lighting outlets. A Wing .. .. .. 5 B Wing .. .. .. 5 ..	No.	10
2	Supplying, fixing and wiring for combined wall plug and switch receptacles 5 amps. complete with nipples, etc., cream finish using necessary accessories. A Wing .. .. .. 3 B Wing .. .. .. 3 ..	,,	6

No.	Particulars	Unit	Quantity
	PART III.		
1	Supplying, fixing and wiring $\frac{5}{8}$" brass pendant complete with stout ceiling plate B.C. Lamp holder $1\frac{1}{2}$ to 3 feet pendant, all nickle plated, using necessary accessories. A Wing .. .. .. 5 B Wing .. .. .. 5 ..	No.	10
2	Supplying and fixing lamps 40-60 Watts-220 volts, B.C. gas filled internally frosted. A Wing .. .. .. 5 B Wing .. .. .. 5 ..	„	10
3	Do shares green and white opal 10"×1" A Wing .. .. .. 5 B Wing .. .. .. 5 ..	„	10

M. M. ALI KHAN,
Superintendent.

MYSORE STATE RAILWAY.

OFFICE OF THE DISTRICT ENGINEER, MYSORE STATE RAILWAY, BANGALORE.

Abstract Notification dated 5th July 1940.

The attention of the public is hereby invited to the Notification on page 1582, Part VI of the issue of the *Mysore Gazette*, dated 4th July 1940, inviting tenders for the right of picking and removal of all useful cinders from ashes at certain stations on Bangalore District.

The last date fixed for the receipt of tender is 3 P.M. on the 22nd July 1940.

M. RAMAIYA,
District Engineer.

OFFICE OF THE DISTRICT TRAFFIC SUPERINTENDENT, MYSORE.

Notification No. T. M. 38–40, *dated 11th July* 1940.

The public are hereby informed that the right of selling fruits, cigarettes and aerated waters for 1940-41 at Ambuga Railway Station will be sold by the public auction by the Traffic Inspector, Mysore State Railway, Mysore, on 29th July 1940 at 10-45 hours at the Station.

The successful tenderer will have to deposit the full amount of bid immediately the bid is accepted by the Traffic Inspector with an additional sum of annas ten towards the cost of Bond to be executed, failing which it will be reauctioned at his risk.

The tenderer is not allowed to sell coffee, tea and other fried eatables on the platform. He should furnish the list of things with rates ofs elling.

The sale is subject to the confirmation of the Traffic Manager, Mysore State Railway, Mysore, whose decision is final. He is not bound to accept the highest or any bid, and may reject the bid without assigning any reason.

MIR INAYETH HUSSAIN,
District Traffic Superintendent.

OFFICE OF THE TRAFFIC MANAGER, MYSORE.

Notice dated 9th July 1940.

Applications are invited from persons intending to take up the contract for opening a Bookstall at Tumkur to reach the undersigned on or before Monday the 22nd July 1940. Applicants should specify in the application the amount of rent they will pay monthly for being permitted to run the Bookstall which should be of a pattern approved by the undersigned. A form of agreement giving the conditions to be observed by the successful tenderer can be had on application to the undersigned.

K. GUNDAPPA,
Traffic Manager.